(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1 Date of compilation: 16/01/2017 Version 4 (replaces version 3) Revision date: 06/11/2020

Page 1 of 9 Print date: 03/03/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING.**

1.1 Product identifier.

Product Name: Product Code: Chemical Name: Botanic Name: INCI Name: CAS No: EC No:

SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS) 0023 Origanum, Thymus capitatus, ext. Thymus capitatus L. Thymus capitatus herb oil 90131-59-2 290-371-7

1.2 Relevant identified uses of the substance or mixture and uses advised against. Ingredient used in cosmetic or pharmaceutical preparations

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company:	SL DE PLANTAS AROMÁTICAS INDUSTRIALIZADAS
Address:	C/ Antonio Gómez Millán, nº 29, Parque Tecnológico Citec
City:	41120, Gelves
Province:	Sevilla
Telephone:	+34 955439492
E-mail:	labdassence@labdassence.com

1.4 Emergency telephone number: +34 955439492 (Only available during office hours; Monday-Friday; 09:00-18:30)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008: Acute Tox. 4 : Harmful if swallowed. Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects. Asp. Tox. 1 : May be fatal if swallowed and enters airways. Eye Irrit. 2 : Causes serious eye irritation. Skin Irrit. 2 : Causes skin irritation. Skin Sens. 1 : May cause an allergic skin reaction.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008: Pictograms:



Signal Word: Danger

Ηs

statements:	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)

LABDASSENCE

Version 1 Date of compilation: 16/01/2017

Version 4 (replaces version 3) Revision date: 06/11/2020

Page 2 of 9 Print date: 03/03/2021

P statements:

Avoid release to the environment. P273

P280 Wear protective gloves and eye protection.

P301+P310 IF SWALLOWED: Call a POISON CENTER or doctor immediately.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with all local and national regulations

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

UVCB (Substance of Unknown o	r Variable composition, Complex reaction products or Biological materials).
Chemical Name:	Origanum, Thymus capitatus, ext

Origanum, Thymus capit
90131-59-2
290-371-7

Composition:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	specific concentration limit
CAS No: 80-56-8 EC No: 201-291-9 Registration No: 01- 2119519223-49-XXXX	alpha-Pinene	0.5% - 1.5%	Asp. Tox. 1, H304 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 78-70-6 EC No: 201-134-4 Registration No: 01- 2119474016-42-XXXX	Linalool	20% - 43%	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
Index No: 604-032- 00-1 CAS No: 89-83-8 EC No: 201-944-8 Registration No: 01- 2119511177-46-XXXX	thymol	0% - 5%	Acute Tox. 4 *, H302 - Aquatic Chronic 2, H411 - Skin Corr. 1B, H314	-
CAS No: 499-75-2 EC No: 207-889-6	Carvacrol	60% - 75%	Acute Tox. 4, H302 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 99-85-4 EC No: 202-794-6	gamma-Terpinene	3.5% - 10%	Asp. Tox. 1, H304 - Flam. Liq. 3, H226	-
CAS No: 99-87-6 EC No: 202-796-7 Registration No: 01- 2119881770-31-XXXX	p-Cymene	5.5% - 9%	Aquatic Chronic 2, H411 - Asp. Tox. 1, H304 - Flam. Liq. 3, H226	-

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1 Date of compilation: 16/01/2017

Version 4 (replaces version 3) Revision date: 06/11/2020

Page 3 of 9 Print date: 03/03/2021

			• •	- Regulation (EC) 2/2008
Identifiers	Name	Concentrate	Classification	specific concentration limit
CAS No: 123-35-3 EC No: 204-622-5 Registration No: 01- 2119514321-56-XXXX	7-methyl-3-methyleneocta-1,6-diene	1% - 3%	Asp. Tox. 1, H304 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315	-

3.2 Mixtures.

Not Applicable.

SECTION 4: FIRST AID MEASURES.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1 Date of compilation: 16/01/2017

Version 4 (replaces version 3) Revision date: 06/11/2020

Page 4 of 9 Print date: 03/03/2021

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills. The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1Date of compilation: 16/01/2017Version 4 (replaces version 3)Revision date: 06/11/2020

Page 5 of 9 Print date: 03/03/2021

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. 8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Uses: Ingredient used in cosmetic or pharmaceutical preparations PPE: Filter mask for protection against gases and particles. Characteristics: CE> marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. Image: CE> marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. CEN standards: EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1P-P2, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PHand protection: Protective gloves against chemicals. CE> marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Material: PVC (polyvinyl chioride) Breakthrou	Concentration:	100 %
PPE: Filter mask for protection against gases and particles. «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. CEN standards: EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Alternation should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. PTP2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PTP4 endedd: PTP2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PTP4 endedd: PT04 endedd: PT4-1, En 374-2, EN 374-3, EN 420 Read protection: PT04 ender dy place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, o		
Characteristics: «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. CEN standards: EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and acrosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. Filter Type needed: A2 PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time Admines for protection against dust, category III. Eve protector with built-in frame for protection against dust, advapour. CEN standards: EN 165, EN	Breathing protecti	
ClidratCetristics: anatomically designed form in order to be sealed and watertight. CEN standards: EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1P-2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. Filter Type needed: A2 Hand protection: PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Always use with clean, dry hands. Material: PVC (polyvinyl choirde) Breakthrough time (mn.): > 480 Material thickness (mm): 0,35 Fye protection PPE: Protective goggles with built-in frame. «CE» marking, category III. Eye protector with built-in frame for protection against dust, snoke, fog and vapour. CEN standards: EN 157, EN 166, EN 167, EN 168 Maintenance: bid infected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective cothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Characteristics: «CE» marking, category II. PEF: Work footwear. Characteristics: «CE» mar	PPE:	
Maintenance: Should not be stored in places exposed to high temperatures and damg environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1+2-P2, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PHand protection: Protective gloves against chemicals. PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Adverse should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (mm): 0,35 PPE: Protective gloggles with built-in frame. «CE» marking, category III. Eve protector with built-in frame for protection against dust, smoke, fog and vapour. Eve protection against (mm): 0,35 PPE: Protective gloggles with built-in frame. «CE» marking, category III. Eve protector with built-in frame for protection against (mm): Some signs of	Characteristics:	
Maintenance: attention should be paid to the state of the inhalation and exhalation values in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. Hand protection: PPE: PPE: Protective gloves against chemicals. Characteristics: <	CEN standards:	EN 136, EN 140, EN 405
P1-P2-P3, Gases and vapours: Å-B-E-K-AX), changing them as advised by the manufacturer. Filter Type needed: A2 PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Alwerial: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (mm): 0,35 Eye protection: Protective goggles with built-in frame. (min.): > 480 Material thickness (mm): 0,35 Eye protection: Protective goggles with built-in frame. (min.): (min.): (min.): (mm):		attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach
Hand protection: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): PPE: Protective goggles with built-in frame. (mm): (mm): PPE: Protective goggles with built-in frame. (mm): (mm): CA: standards: EN 165, EN 166, EN 167, EN 168 (mm): (mm): Waintenance: be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PFE: Protective clothing. (CE* marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level		P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
PPE: Protective gloves against chemicals. Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (mm): 0,35 Eye protection: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. Material shickness (mm): 0,35 CEN standards: EN 165, EN 167, EN 168 ISO 180, EN 167, EN 168 ISO 180, EX 100, EX		A2
Characteristics: «CE» marking, category III. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time image and the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time image. Material thickness image. PF: Protective goggles with built-in frame. (mm): 0,35 CEN standards: EN 165, EN 166, EN 167, EN 168 (mm): (mm): Maintenance: be disinfected periodically following the manufacturer's instructions. (mm): (mm): Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE Protective clothing. (Es marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. (Es marking, category II. Protective clothing sho		
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35 Eye protection: PPE: Protective goggles with built-in frame. (ms.): Material thickness (mm): 0,35 Eve protection: PPE: Protective goggles with built-in frame. (ms.): Material thickness (mm): 0,35 Eve protection: PPE: Protective goggles with built-in frame. (ms.): Material thickness (mm): 0,35 Eve standards: EN 165, EN 166, EN 167, EN 168 Wisibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, scraping etc. Skin protection: PPE: Protective clothing. (Characteristics: Ces marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provide		
Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (min.): 0,35 Eye protection: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (min.): 0,35 Eye protection: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (min.): 0,35 Eye protection: PVC (polyvinyl chloride) Breakthrough time (min.): > 480 Material thickness (min.): 0,35 Eye protection: PVC: Protective goggles with built-in frame. (CE» marking, category II. Eye protector with built-in frame for protection against duist, smoke, fog and vapour. (EN standards: EN 165, EN 166, EN 167, EN 168 (Display) (Dis	CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420
Observations: Always use with clean, dry hands. Material Material: PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35 Eye protection: Protective goggles with built-in frame. Material thickness (mm): 0,35 PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. Image: CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: Protective clothing. CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: EN 130, 13287, EN 20347 Characteristics: Marking, category II. CEN standards: EN 150, 13287, EN 20347 Th	Maintenance:	Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or
Material: PVC (polyvinyl choride) (min.): > 480 (mm): 0,35 Eye protection: PPE: Protective goggles with built-in frame. (CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 (inin):	Observations:	
PPE: Protective goggles with built-in frame. Characteristics: «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN 180, 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: W	Material: F	
Characteristics: «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be deisinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: Observations: Work footwear. PPE: Work footwear. CEN standards: EN 13287, EN 20347 Maintenance: Mointenance: PPE: Work footwear for professional use includes protection elements aimed at protecting users against any	Eye protection:	
Characteristics: dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: Observations: Work footwear. CPPE: Work footwear. CEN standards: EN 103 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:	
Maintenance:Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.Skin protection:Protective clothing. 	Characteristics:	dust, smoke, fog and vapour.
Maintenance: be disinfected periodically following the manufacturer's instructions. Observations: Some signs of wear and tear include: yellow colouring of the lenses, scraping etc. Skin protection: PPE: PPE: Protective clothing. CCBN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.	CEN standards:	
Observations: scraping etc. Skin protection: PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	
PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	, , , , , , , , , , , , , , , , , , ,
Characteristics:«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.CEN standards:EN 340Maintenance:In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in 0bservations:Observations:terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear.Characteristics:«CE» marking, category II. CEN standards:EN ISO 13287, EN 20347Maintenance:This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.Observations:Work footwear for professional use includes protection elements aimed at protecting users against any		
Characteristics:order not to obstruct the user's movements.CEN standards:EN 340Maintenance:In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations:Observations:terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear.Characteristics:«CE» marking, category II.CEN standards:EN ISO 13287, EN 20347Maintenance:This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.Observations:Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:	5
Maintenance:In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.PPE:Work footwear.Characteristics:«CE» marking, category II. EN 1SO 13287, EN 20347Maintenance:This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:	
Maintenance: the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	
Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	
Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any		terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
CEN standards: EN ISO 13287, EN 20347 Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any		
Observations: not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		EN ISO 13287, EN 20347
	Maintenance:	
	Observations:	

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1Date of compilation: 16/01/2017Version 4 (replaces version 3)Revision date: 06/11/2020

Page 6 of 9 Print date: 03/03/2021

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Mobile liquid Colour: Yellow to dark brown Odour: Characteristic, aromatic, phenolic, with a slightly spicy base Odour threshold: N.A./N.A. pH: N.A./N.A. Melting point: N.A./N.A. Boiling Point: 239 °C Flash point: 65 °C Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density:0,930-0,955 Solubility: N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A. Partition coefficient (n-octanol/water): N.A./N.A. Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A. Viscosity: N.A./N.A. Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A. N.A./N.A. = Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Dropping point: N.A./N.A. Blink: N.A./N.A. Kinematic viscosity: N.A./N.A. N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)



Version 1Date of compilation: 16/01/2017Version 4 (replaces version 3)Revision date: 06/11/2020

Page 7 of 9 Print date: 03/03/2021

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

11.1 Information on toxicological effects.

There are no tested data available on the product. Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity; Product classified: Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE): Substances: ATE (Oral) = 500 mg/kg

b) skin corrosion/irritation; Product classified: Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation; Product classified: Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;Product classified:Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard;Product classified:Aspiration toxicity, Category 1: May be fatal if swallowed and enters airways.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity.

12.2 Persistence and degradability.

No information is available regarding the biodegradability. No information is available on the degradability.No information is available about persistence and degradability of the product.

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL **OIL (THYMUS CAPITATUS)**



Version 1 Date of compilation: 16/01/2017 Version 4 (replaces version 3) Revision date: 06/11/2020

Page 8 of 9 Print date: 03/03/2021

12.3 Bioaccumulative potential. No information is available regarding the bioaccumulation.

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description: ADR: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport. ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

(in accordance with Regulation (EU) 2015/830)

0023- SPANISH ORIGANUM ESSENTIAL OIL (THYMUS CAPITATUS)

LABDASSENCE

Version 1 Date of compilation: 16/01/2017

Version 4 (replaces version 3) Revision date: 06/11/2020

Page 9 of 9 Print date: 03/03/2021

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3 Asp. Tox. 1 : Aspiration toxicity, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Skin Irrit. 2 : Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1

Changes regarding to the previous version:

- Change of the name of the product (SECTION 1.1).

- Change of the uses of the product (SECTION 1.2).
- Changes in the information of the supplier (SECTION 1.3).
- Change in the emergency number (SECTION 1.4).
- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

PPE: Personal protection equipment.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.